

SAFETY DATA SHEET (SDS)

in accordance with Regulation (EC) No 1907/2006 (REACH), Annex II — Regulation (EU) 2020/878

Date: 22.09.2026 | Version: 1 | EN

tert-butanol

2-methylpropan-2-ol

MOLAR MASS

74.12

LOGP

0.5

CAS 75-65-0

C₄H₁₀O

EC 200-889-7

HAZARD CLASSIFICATION (GHS / CLP)



Danger

H225 H332 H335 H319

Hazard class scope limited to the harmonised classification (CLP Annex VI); classes outside the harmonised entry may require supplier self-classification (CLP Art. 4(3)) — verify with the supplier safety data sheet.

1. Identification of the substance/mixture and of the company/undertaking

1.1 Substance name	tert-butanol
1.1 IUPAC name	2-methylpropan-2-ol
1.1 CAS number	75-65-0
1.1 EC number	200-889-7
1.1 PubChem CID	6386
1.1 InChIKey	DKGAVHZHDRPRBM-UHFFFAOYSA-N
1.1 SMILES	CC(C)(C)O
1.1 Molecular formula	C ₄ H ₁₀ O ^[7]
1.1 Molar mass	74.12 g/mol ^[7]
1.1 Exact mass	74.0732 Da ^[7]

1.2 Uses

For laboratory and research purposes. Not for use in the production of food, medicines or cosmetics without appropriate authorisation.

1.3 Details of the supplier

REFERENCE COPY — NO
SUPPLIER DETAILS — NOT FOR
DISTRIBUTION

Supplier details are not included in this reference copy. The supplier placing the substance on the market must complete this section and remains responsible for the sheet under REACH. MolGod.org prepares documentation and is not the supplier of this substance.

1.4 Emergency telephone number

Emergency telephone +48 42 631 47 24

Toxicological Information Centre (CIT), Łódź — available 24/7

2. Hazards identification

GHS:



PPE:



Prohibitions:



Danger

Hazard statements (H) ^{[3][4][9]}

H225	Highly flammable liquid and vapour
H332	Harmful if inhaled
H335	May cause respiratory irritation
H319	Causes serious eye irritation

Precautionary statements (P) ^{[3][4][9]}

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P233	Keep container tightly closed
P240	Ground and bond container and receiving equipment
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing; Rinse skin with water or shower
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes; Remove contact lenses, if present and easy to do. Continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P337+P313	If eye irritation persists: Get medical advice/attention
P370+P378	In case of fire: Use appropriate media to extinguish
P403+P235	Store in a well-ventilated place: Keep cool
P403+P233	Store in a well-ventilated place: Keep container tightly closed
P405	Store locked up
P501	Dispose of contents/container to an approved waste collection point

Hazard class scope limited to the harmonised classification (CLP Annex VI); classes outside the harmonised entry may require supplier self-classification (CLP Art. 4(3)) — verify with the supplier safety data sheet.

3. Composition/information on ingredients

Substance type	pure substance
CAS Number	75-65-0
EC number	200-889-7
Molecular formula	C ₄ H ₁₀ O
Concentration	≥99% (typical reagent-grade purity — to be confirmed by the supplier's specification)
Clp index no	603-005-00-1

4. First aid measures



Inhalation

Move the affected person to fresh air. Keep at rest. If not breathing: artificial respiration (qualified personnel only). ^{[1][2][12]}

Skin contact

Remove contaminated clothing. Rinse skin with soap and water (min. 15 minutes). ^{[1][2][12]}

Eye contact

Rinse eyes with running water (min. 15 minutes). Remove contact lenses if possible. If irritation persists — consult an ophthalmologist. ^{[1][2][12]}

Ingestion

Do NOT induce vomiting (unless directed by a physician). Rinse mouth with water. Never give anything by mouth to an unconscious person. Poison Centre Łódź: +48 42 631 47 24 (24/7). Emergency number: 112. ^{[1][2][12]}

Symptoms and effects

cough, shortness of breath, headache, dizziness; eye irritation and watering. ^{[3][9]}

Notes for physician

Requires verification

**Emergency numbers: Emergency: 112 (EU-wide).
Poison centre: as designated in the country of
placing on the market (CLP Art. 45).**

5. Firefighting measures

Suitable extinguishing media	Alcohol-resistant foam, carbon dioxide (CO ₂), dry chemical powder, water spray/mist. ^{[1][2][12]}
Unsuitable extinguishing media	Full/compact water jet (splashes and spreads the burning liquid, which floats on water). ^{[1][2][12]}
Specific hazards	Thermal decomposition products: CO, CO ₂ . ^[13]
Advice for firefighters	Use self-contained breathing apparatus (SCBA). Full protective suit. ^{[1][2][12]}
Flash Point	11°C ^[7]
Auto-ignition temperature	

7. Handling and storage

Precautions	Work in a fume hood or with adequate ventilation. No eating, drinking or smoking in the work area. [1] [2] [12]
Storage temperature	Store at room temperature (15-25°C) or as indicated on the label. [1] [2] [12]
Humidity	Store in a dry place (<60% RH). [1] [2] [12]
Light	Protect from direct sunlight. [1] [2] [12]
Incompatible materials	Strong oxidizers, Ignition sources, open flames. [13]

8. Exposure controls/personal protection

8.1 Control parameters

OEL — NDS (Poland)	No NDS (OEL) value in the available working list — verify in the current MRPiPS regulation before use; do not assume the absence of a limit value.
OEL (EU)	The EU OEL value has not been verified against the available dataset — check the IOELV/BOELV directives; do not assume the absence of a value.
DNEL	No data available.
PNEC	No data available.

8.2 Personal protective equipment (PPE) [\[5\]](#)[\[6\]](#)[\[14\]](#)

 Chemical-resistant protective gloves EN ISO 374-1:2016+A1:2018 nitrile (min. 0.11 mm)	 Closed safety spectacles or goggles EN ISO 16321-1:2022 / EN 166:2001	 Respiratory protection EN 14387:2004+A1:2008 type A2 filter (organic vapours)	 Closed safety footwear with toe protection EN ISO 20345:2022 (S2/S3)
--	---	--	---

9. Physical and chemical properties

UWAGA: Substancja może zestalać się w temperaturze poniżej 25.5°C.

Property (item 9.1)	Value	Source
Physical state	Solid	
Colour	No data available.	
Odour	No data available.	
pH (1% aqueous solution)	No data available.	
Melting point	25.5°C [8] [7]	
Boiling point	82.367	

Property (item 9.1)	Value	Source
Kinematic viscosity	Not applicable (REACH 9.1(l))	
Refractive index n_D²⁰	1.3878 (experimental data) ^[7]	
Auto-ignition temperature	480°C (experimental data) ^[7]	
Decomposition temperature	Not applicable	
Rozpuszcz. w wodzie	1000 g/L, 25°C ^[7]	
Particle characteristics	The particle size distribution has not been determined for this commercial form – required under Annex II 9.1(r); to be completed from the supplier's specification.	
Partition coefficient n-octanol/water (log value)	0.5 ^[7]	
Molar mass	74.12 g/mol ^[7]	
Molecular formula	C ₄ H ₁₀ O ^[7]	
Lipinski rule (RO5)	PASS	

Where a property above reads "No data available", no measured value was found in the public sources consulted for this substance. The property has not been determined by MolGod.org and no value is inferred. "Not applicable" means the property has no meaning for this substance in the form supplied.

10. Stability and reactivity

Reactivity	Stable under normal storage and handling conditions.
Chemical stability	Thermally stable under recommended conditions.
Hazardous reactions	No hazardous reactions known under normal conditions.
Conditions to avoid	High temperatures, direct sunlight, moisture.
Incompatible materials	Strong oxidizers, Ignition sources, open flames.
Decomposition products	Thermal decomposition products: CO, CO ₂ .

11. Toxicological information

LD50 (oral)	LD50 3500 mg/kg (rat, oral) ^[7]
LD50 (dermal)	No data available.
LC50 (inhalation)	LC50 10000 ppm (4 h) (rat) ^[7]
Skin irritation	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
Eye irritation	Category 2 — eye irritation.
Sensitisation	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
Mutagenicity	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
Carcinogenicity	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
IARC classification (carcinogenicity)	No individual IARC monograph for this CAS — this is not confirmation of the absence of carcinogenicity (cf. CLP/GHS classification in section 2).
Reproductive toxicity	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex

12. Ecological information

Aquatic toxicity	LC ₅₀ (fish): 6410 mg/L (Pimephales promelas, 96 h). EC ₅₀ (Daphnia): 5050 mg/L (Daphnia magna, 24 h). EC ₅₀ (algae): 142 mg/L (Raphidocelis subcapitata, 48 h) ^[17]
Persistence / biodegradability	No data available.
Bioaccumulative potential	log Kow = 0.5 ^[7] . Low bioaccumulation potential (log Kow < 4.5 — PBT/vPvB screening criterion per ECHA Guidance R.11). ^{[15][16]}
Mobility in soil	No data available.
PBT/vPvB assessment	Insufficient data to assess PBT/vPvB.
Endocrine disrupting properties	No information.

13. Disposal considerations

Disposal method	Hand over for disposal to licensed contractors in accordance with national and local regulations. Do not discharge into sewers.
Waste code (EWC)	16 05 06* — Laboratory and analytical chemicals (np. chemical reagents) zawierające substancje niebezpieczne. EWC code verification required. ^[11]
Packaging	Cleaned packaging may be recycled. Contaminated packaging must be treated as hazardous waste.

14. Transport information



Class 3 — Flammable liquids

UN number	UN 1120 ^[7]
Transport hazard class	Suggested from GHS classification — VERIFICATION REQUIRED.
Environmental hazard	Not classified as environmentally hazardous for transport (no H400/H410/H411 in CLP Annex VI; no marine pollutant mark required) ^[3]
Special precautions	Handle as dangerous goods according to the assigned class (ADR/IMDG/IATA); apply the precautions appropriate to that class.
CN/HS code	CN/HS code: verification required in the Eurostat Combined Nomenclature.
Notes	UN number per the indicated source. Verify the transport class and packing group in ADR Table A / UN Model Regulations before shipment. ^[7]

15. Regulatory information

SVHC status	SVHC status not verified against the available dataset — check the current ECHA Candidate List; do not assume absence. ^[1]
REACH Annex XIV	Not verified against the ECHA Authorisation List — check REACH Annex XIV. ^[1]
REACH Annex XVII	Not confirmed in the available

Scientific citations (10)

- Dumitrescu Vasile, Pântea Octav. Viscosities of binary mixtures of toluene with butan-1-ol and 2-methylpropan-2-ol. Journal of the Serbian Chemical Society (2005). DOI: 10.2298/JSC0511313D
- J. Pavliček, G. Bogdanić, I. Wichterle. Azeotropic Behavior of the 2-Methylpropan-2-ol + water + 1-ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide System. Chemical and Biochemical Engineering Quarterly (2024). DOI: 10.15255/CABEQ.2023.2219
- Pandharinath S. Nikam, Tukaram R. Mahale, Mehdi Hasan. Density and Viscosity of Binary Mixtures of Ethyl Acetate with Methanol, Ethanol, Propan-1-ol, Propan-2-ol, Butan-1-ol, 2-Methylpropan-1-ol, and 2-Methylpropan-2-ol at (298.15, 303.15, and 308.15) K. Journal of Chemical & Engineering Data (1996). DOI: 10.1021/je960090g
- Hyun Sik Park, Ji Yeon Ryu, Junseong Lee. Crystal structure of 1-(5-amino-2H-tetrazol-2-yl)-2-methylpropan-2-ol. Acta Crystallographica Section E: Crystallographic Communications (2015). DOI: 10.1107/S2056989015023713
- Pandharinath S. Nikam, Meera C. Jadhav, Mehdi Hasan. Density and Viscosity of Mixtures of Nitrobenzene with Methanol, Ethanol, Propan-1-ol, Propan-2-ol, Butan-1-ol, 2-Methylpropan-1-ol, and 2-Methylpropan-2-ol at 298.15 and 303.15 K. Journal of Chemical & Engineering Data (1995). DOI: 10.1021/je00020a044

Full text of H statements

H225	Highly flammable liquid and vapour
H332	Harmful if inhaled
H335	May cause respiratory irritation
H319	Causes serious eye irritation

Full text of P statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P233	Keep container tightly closed
P240	Ground and bond container and receiving equipment
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing; Rinse skin with water or shower
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several

GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
SDS	Safety Data Sheet
LC50	Lethal Concentration, 50%
LD50	Lethal Dose, 50%
NDS	Maximum admissible concentration (workplace, PL)
NDSch	Short-term exposure limit (PL)
OEL	Occupational Exposure Limit
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Reg. (EC) 1907/2006)
STOT	Specific Target Organ Toxicity
SVHC	Substance of Very High Concern
TPSA	Topological Polar Surface Area
vPvB	very Persistent and very Bioaccumulative

Version history

v1 (22.09.2026)	Based on ECHA harmonised classification (Annex VI to CLP, ATP 23).
------------------------	--

References

- [1] EP and Council. Reg.(EC) No 1907/2006 (REACH). Art.31, Annex II. OJ EU L 396/2006. URL: <https://eur-lex.europa.eu/eli/reg/2006/1907/oj> Accessed: 2026-09-22.
- [2] European Commission. Reg.(EU) 2020/878 — amending Annex II REACH. OJ EU L 203/2020. From 01.01.2023. URL: <https://eur-lex.europa.eu/eli/reg/2020/878/oj> Accessed: 2026-09-22.
- [3] EP and Council. Reg.(EC) 1272/2008 (CLP) + ATP 23. OJ EU L 353/2008. (2026-07-07) URL: <https://eur-lex.europa.eu/eli/reg/2008/1272/oj> Accessed: 2026-09-22.
- [4] United Nations. GHS Rev.9. ST/SG/AC.10/30/Rev.9. New York and Geneva: United Nations, 2021. URL: <https://unece.org/transport/dangerous-goods/ghs-rev9-2021> Accessed: 2026-09-22.
- [5] ISO. ISO 7010:2019 — Graphical symbols. Safety signs. URL: <https://www.iso.org/standard/72424.html> Accessed: 2026-09-22.
- [6] ISO. ISO 3864-1:2011 — Safety colours and safety signs. URL: <https://www.iso.org/standard/51021.html> Accessed: 2026-09-2



Legal notice: This document was generated automatically from data provided by PubChem (NIH), ECHA, NIST WebBook, ChemSpider (RSC), Wikidata and other public databases. It DOES NOT REPLACE an approved Safety Data Sheet (SDS) compliant with Regulation (EC) No 1907/2006 (REACH). Before using the substance, verify the data against the manufacturer's current SDS.

Generator: Document generated automatically from ECHA harmonised classification (Annex VI to CLP) and public physicochemical databases.

Author: www.MolGod.org — platform for automated safety data sheets (SDS).

Issue date: 22.09.2026 | Document version: 1

WORKING
DRAFT
工作草案